

PLAFONNIER AND WALL PANEL ÉTOILE, CRYSTAL, NATURE HARMONIEUSE

THE CEILING LIGHTS AND WALL PANELS ARE FINISHED, READY TO INSTALL
(FOR LARGE AREAS PLEASE REFER TO «CEILING OR WALL» TECHNICAL SHEET)

- * Award-winning LEDs of high quality: miniaturized, entirely transparent, sophisticated lighting effects thanks to optical lenses.
- * With small warm white or pure white LEDs. Adding other models of LEDs is also possible.
- * LEDs placing is simple because you can pin them anywhere in the conducting plates.
- * You can add our other decorative elements: Cristaux, Nucléoles, Hoyas, Nénuphars (Nature Harmonieuse).
- * The Aluminum frame is carefully finished: matte black, matte silver (brushed sides) or bright silver (brushed sides).
- * Coating: washable, with a cotton basis, M1, fire resistant, holes by pin-pricks from the LEDs are discreet, matte black or matte white.
- * Standard electrical connection to wires in the ceiling or wall socket (120V or 230V). Invisible power supply is integrated.
- * Plafonnier: flush mounted fitting thanks to screws which are hidden in the back. Ultra-light. It is also possible to hang by cables (optional) to create a more intimate space or improve the acoustics in space.
- * Wall panel: fixation on the wall, like a painting.
- * Made to measure

PLAFONNIER AND WALL PANEL, WITH A FRAME







 100-250V~/5V or 12V= Maxi 20-100W
 Dimming (option) : 100kΩ, 0-10V, PWM 10V
CE , CB, UL, cUL

Aluminum frame, conductive composite plate, covering

Made to measure, (the following table shows examples only).

Size	Number of Etoiles LEDs supplied	Power of Etoiles LEDs	Maximal power of the power supply	Weight
Squares				
24" 24" 2" / 62 x 62 x 5 cm	50	6w	20W	6lb / 3kg
32" 32" 2" / 82 x 82 x 5 cm	50	6w	20W	9 lb / 4kg
48" 48" 2" / 122 x 122 x 5 cm	100	12w	20W	15 lb / 7kg
96" 96" 2" / 244 x 244 x 5 cm (in two parts)	400	36w	40W	55 lb / 25kg
Rectangles				
48" 21" 2" / 122 x 52 x 5 cm	50	6w	20W	9 lb / 4kg
64" 24" 2" / 162 x 62 x 5 cm	100	12w	20W	11 lb / 5kg
80" 48" 2" / 202 x 122 x 5 cm	150	18w	20W	22 lb / 10kg
99" 48" 2" / 252 x 122 x 5	200	24w	20W	26 lb / 12kg


We recommend using a matte black coating with a matte black frame or matte white coating with matte silver frame. But any other combination is possible, including the use of a bright silver frame.



PLAFONNIER AND WALL PANEL, WITH BACKLIGHTING


Indirect lighting above the plafonnier creates a halo of indirect light on the top of your ceiling, in addition to a starlit effect. Made to measure (the following table shows some examples only).

Size	Number of Etoiles supplied	Power of Etoiles provided and of the backlighting	Maximum power output from transformer	weight
32" 32" 4" / 82 x 82 x 9 cm	50	5w Backlighting : 13w	20W	18 lb / 8kg
48" 48" 4" / 122 x 122 x 9 cm	100	5w Backlighting : 20w	20W	29 lb / 13kg
80" 48" 4" / 202 x 122 x 9 cm	150	5w Backlighting : 28w	20W	44 lb / 20kg
96" 96" 4" / 244 x 244 x 9 cm (in two parts)	400	5w Backlighting : 50w	40W	110 lb / 50kg



PLAFONNIER AND WALL PANEL, WITHOUT FRAME

We also make frameless plafonniers and wall panels using LEDs with wires (not pinned into the plates as shown on the image above). We use wood plates, Dibond among other materials. It is possible to create a backlighting. We also manufacture with a thin frame (2 mm) and conductive composite plates.



TO INCREASE THE OVERALL LIGHTING

Lighting power of our LEDs is reduced so that they can be looked at without creating a harsh glare. In order to increase the overall lighting you can add our Planètes, spotlights, wall lights, table lamps, floor lamps.

OTHER CHARACTERISTICS

Etoiles-LEDs characteristics: please refer to «Ceiling and wall» technical sheet

Crystal-LEDs characteristics: please refer to «Ceiling and wall» technical sheet

Nature Harmonieuse (Nénuphars, Nucléoles, Hoyas, Barcarolles, Anémones, etc.): please refer to «Nature Harmonieuse» technical sheet



Crystal Wall Panel, 80" 48" / 202x122 cm